Index of Authors

AALTONEN, T. M., VALTONEN, E. T. and JOKINEN, E. I. Humoral response of roach (*Rutilus rutilus*) to digenean *Rhipidocotyle fennica* infection, 285

ABAD, P. *See* GRENIER, E.

AKAO, N. *See* YAN, Y.

ALAFIATAYO, R. A. *See* PENTREATH, V. W.

ALIGUI, G. D. *See* WEBSTER, M.

ALLAN, J. *See* AMBROSIO, J.

ALLEN, D. E. *See* GOBERT, G. N.

ALONSO, C. *See* MORALES, G.

AMBROSIO, J., CRUZ-RIVERA, M., ALLAN, J., MORÁN, E., ERSFELD, K. and FLISSER, A. Identification and partial characterization of a myosin-like protein from cysticerci and adults of *Taenia solium* using a monoclonal antibody, 545

ANDERSON, R. M. *See* RHODES, C. J.

ARIZONO, N. *See* TEGOSHI, T.

ATKINSON, H. J. *See* URWIN, P. E.

AZNAR, C. *See* WINCKER, P.

BACH KNUDSEN, K. E. *See* PETKEVIČIUS, S.

BAILEY, R. *See* DURAISINGH, M. T.

BANNISTER, L. H. *See* BEJON, P. A.

BARCLAY, G. R. *See* PENTREATH, V. W.

BARNABE, C. *See* LAURENT, J.-P.

BARNES, E. H. *See* CHRISTENSEN, C. M.

BARRETT, J. *See* ENTRALA, E.

BECKER, S. *See* MOODY, S.

BEHNKE, J. M. *See* TIMOTHY, L. M.

BEJON, P. A., BANNISTER, L. H., FOWLER, R. E., FOOKES, R. E., WEBB, S. E. and MITCHELL, G. H. A role for microtubules in *Plasmodium falciparum* merozoite invasion, 1

BERZINS, K. *See* IQBAL, J.

BEVERLEY, S. M. *See* TOSI, L. R. O.

BIANCO, A. E. *See* RHODES, C. J.

BOHAN, D. A. and HOMINICK, W. M. Long-term dynamics of infectiousness with the infective-stage pool of the entomopathogenic nematode *Steinernema feltiae* (Site 76 strain) Filipjev, 301

BOSSENO, M. F. *See* WINCKER, P.

BOWEN-WALKER, P. L., MARTIN, S. J. and GUNN, A. Preferential distribution of the parasitic mite, *Varroa jacobsoni* Oud. on overwintering honeybee (*Apis mellifera* L.) workers and changes in the level of parasitism, 151

BRENIERE, S. F. *See* WINCKER, P.

BRINDLEY, P. J. *See* DALTON, J. P.

BUTTERWORTH, A. E. *See* WEBSTER, M.

CARDOSO, M. A. *See* WINCKER, P.

CARRILLO, G. *See* MORALES, G.

CASAGRANDE, L. *See* TOSI, L. R. O.

CATZEFFIS, F. M. *See* GRENIER, E.

CHAPPELL, L. H. *See* ROBERTS, H. C.

CHEFFORT, J. *See* LARDEUX, F.

CHEN, C. C. *See* ITO, A.

CHEN, N. *See* UPCROFT, J. A.

CHO, S.-Y. *See* KONG, Y.

CHRISTENSEN, C. M., NANSEN, P. and BARNES, E. H. The effect of concurrent or sequential *Oesophagostomum dentatum* and *O. quadrispinulatum* infections on the worm burdens of the two species of pigs, 273

CHUNG, W. C. *See* FAN, P. C.

CHUNG, W. C. *See* ITO, A.

CHUNG, Y.-B. *See* KONG, Y.

CLOUGH, K. A. *See* DALTON, J. P.

CONVERSE, V. *See* GREWAL, P. S.

CORNELISSEN, A. W. C. A. *See* KOOYMAN, F. N. J.

CRAWLEY, B. *See* PENTREATH, V. W.

CRISANTI, A. *See* SPANO, F.

CRUZ, A. K. *See* TOSI, L. R. O.

CRUZ-RIVERA, M. *See* AMBROSIO, J.

CUTTS, L. and WILSON, R. A. The protein antigens secreted *in vivo* by adult male *Schistosoma mansoni*, 245

DALTON, J. P., CLOUGH, K. A., JONES, M. K. and BRINDLEY, P. J. The cysteine proteinases of *Schistosoma mansoni* cercariae, 105

DAY, R. E. and GERO, A. M. Stimulated transport of hypoxanthine in *Crithidia luciliae*: relationship to purine stress, 19

DE JONG-BRINK, M. *See* NÚÑEZ, P. E.

DE VLAS, S. J., ENGLES, D., RABELLO, A. L. T., OOSTBURG, B. F. J., VAN LIESHOUT, L., POLDERMAN, A. M., VAN OORTMARSSEN, G. J., HABBEMA, J. D. F. and GRYSEELS, B. Validation of a chart to estimate true *Schistosoma mansoni* prevalences from simple egg counts, 113

DEL RIO, J. A. *See* MONTES, J. F.

DEPLAZES, P. *See* MATHIS, A.

DEVANEY, E. *See* NOR, Z. M.

DOENHOFF, M. J. *See* PRICE, H. P.

DOUA, F. *See* PENTREATH, V. W.

DRAKELEY, C. J. *See* DURAISINGH, M. T.

DUBREMETZ, J. F. *See* RABJEAU, A.

DUNN, A. M. and HATCHER, M. J. Prevalence, transmission and intensity of infection by a microsporidian sex ratio distorter in natural *Gammarus duebeni* populations, 231

DUNNE, D. W. *See* WEBSTER, M.

DURAISINGH, M. T., DRAKELEY, C. J., MULLER, O., BAILEY, R., SNOUNOU, G., TARGETT, G. A. T., GREENWOOD, B. M. and WARHURST, D. C. Evidence for the selection for the tyrosine-86 allele of the *pfmdr*1 gene of *Plasmodium falciparum* by chloroquine and amodiaquine, 205

DURFORT, M. *See* MONTES, J. F.

EDWARDS, S. E. R. *See* PROUDMAN, C. J.

EISHI, Y. *See* SATOH, M.

ELING, W. *See* HERMSEN, C.

ENDO, S. *See* ITO, A.

ENGELS, D. *See* DE VLAS, S. J.

ENTRALA, E., MASCARO, C. and BARRETT, J. Anti-oxidant enzymes in *Cryptosporidium parvum* oocysts, 13

EOM, K. S. *See* FAN, P. C.

ERSFELD, K. *See* AMBROSIO, J.

FAIRWEATHER, I. *See* GRAHAM, M. K.

FAN, P. C., CHUNG, W. C., EOM, K. S. and ITO, A. Vaccination trials against Taiwan *Taenia* eggs in pigs injected with frozen oncospheres of Taiwan *Taenia*, Korea *Taenia*, *T. saginata* or *T. solium*, 541

FAN, P. C. *See* ITO, A.

FLISSER, A. *See* AMBROSIO, J.

FOLKARD, S. G. *See* RHODES, C. J.

FOOKES, R. E. *See* BEJON, P. A.

FOUSSARD, F. *See* RABJEAU, A.

FOWLER, R. E. *See* BEJON, P. A.

FUJITA, K. *See* SATOH, M.

FUJITA, K. *See* YAN, Y.

FULFORD, A. J. C. *See* WEBSTER, M.

GALLAGHER, A. N. *See* UPCROFT, J. A.

GANNICOTT, A. M. and TINSLEY, R. C. Egg hatching in the monogenean gill parasite *Discocotyle sagittata* from the rainbow trout (*Oncorhynchus mykiss*), 569

GARCIA-VALERO, J. *See* MONTES, J. F.

GEARY, T. G. *See* MARKS, N. J.

GERO, A. M. *See* DAY, R. E.

GLAZER, I. Effects of infected insects on secondary invasion of steinernematid entomopathogenic nematodes, 597
GOBERT, G. N., STENZEL, D. J., JONES, M. K., ALLEN, D. E. and MCMANUS, D. P. *Schistosoma japonicum*: immunolocalization of paramyosin during development, 45
GOMES, M. A., SILVA, E. F., MACEDO, A. M., VAGO, A. R. and MELO, M. N. LSSP-PCR for characterization of strains of *Entamoeba histolytica* in Brazil, 517
GOMEZ, L. C. *See* MORALES, G.
GRAHAM, M. K., FAIRWEATHER, I. and MCGEOWN, J. G. The effects of FaRPs on the motility of isolated muscle strips from the liver fluke, *Fasciola hepatica*, 455
GREENWOOD, B. M. *See* DURAISINGH, M. T.
GRENIER, E., CATZEFFIS, F. M. and ABAD, P. Genome sizes of the entomopathogenic nematodes *Steinernema carpocapsae* and *Heterorhabditis bacteriophora* (Nematoda: Rhabditida), 497
GREWAL, P. S., MATSUURA, M. and CONVERSE, V. Mechanisms of specificity of association between the nematode *Steinernema scapterisci* and its symbiotic bacterium, 483
GRYSEELS, B. *See* DE VLAS, S. J.
GUNN, A. *See* BOWEN-WALKER, P. L.
GUSTAD, T. R. *See* ROBINSON, M.
GUZMAN, F. *See* MORALES, G.

HABBEMA, J. D. F. *See* DE VLAS, S. J.
HALTON, D. W. *See* MAIR, G. R.
HALTON, D. W. *See* MARKS, N. J.
HARNETT, W. *See* NOR, Z. M.
HASSAN ALIN, M. *In vitro* susceptibility of Tanzanian wild isolates of *Plasmodium falciparum* to artemisinin, chloroquine, sulfadoxine/pyrimethamine and mefloquine, 503
HATCHER, M. J. *See* DUNN, A. M.
HEMMINGSEN, W. *See* LYSNE, D. A.
HERMSEN, C., VAN DE WIEL, T., MOMMERS, E., SAUERWEIN, R. and ELING, W. Depletion of $CD4^+$ or $CD8^+$ T-cells prevents *Plasmodium berghei* induced cerebral malaria in end-stage disease, 7
HOGG, J. C. and HURD, H. The effects of natural *Plasmodium falciparum* infection on the fecundity and mortality of *Anopheles gambiae s.l.* in north east Tanzania, 325
HOLDER, A. A. *See* LONGHURST, H. J.
HOLMES, M. A. *See* PROUDMAN, C. J.
HOMINICK, W. M. *See* BOHAN, D. A.
HONTEBEYRIE, M. *See* WINCKER, P.
HOUSTON, K. M. *See* NOR, Z. M.
HRČKOVA, G. and VELEBNY, S. Effect of praziquantel and liposome-incorporated praziquantel on peritoneal macrophage activation in mice infected with *Mesocestoides corti* tetrathyridia (Cestoda), 475
HUNTLEY, J. F. *See* KOOYMAN, F. N. J.
HURD, H. *See* HOGG, J. C.
HURD, H. *See* MAJOR, M.

INUO, G. *See* YAN, Y.
ITO, A., CHUNG, W. C., CHEN, C. C., ITO, M., ENDO, S., OKAMOTO, M. and FAN, P. C. Human *Taenia* eggs develop into cysticerci in *scid* mice, 85
ITO, A. *See* FAN, P. C.
ITO, M. *See* ITO, A.
IQBAL, J., SIRIPOON, N., SNOUNOU, V. G., PERLMANN, P. and BERZINS, K. *Plasmodium falciparum*: selection of parasite subpopulations with decreased sensitivity for antibody-mediated growth inhibition *in vitro*, 317

JENSEN, K. *See* PETKEVIČIUS, S.
JOHNSTON, C. F. *See* MAIR, G. R.
JOHNSTON, R. N. *See* MAIR, G. R.
JOKINEN, E. I. *See* AALTONEN, T. M.
JONES, J. T., ROBERTSON, L., PERRY, R. N. and ROBERTSON, W. M. Changes in gene expression during stimulation and hatching of the potato cyst nematode *Globodera rostochiensis*, 309
JONES, M. K. *See* DALTON, J. P.
JONES, M. K. *See* GOBERT, G. N.

KANEDA, Y. *See* STAHL, W.
KANG, S.-Y. *See* KONG, Y.
KARIUKI, H. C. *See* WEBSTER, M.
KENNEDY, C. R. *See* SALGADO-MALDONADO, G.
KENNEDY, M. W. *See* MODHA, J.
KHOKHLOVA, I. S. *See* KRASNOV, B. R.
KIM, S. H. *See* KONG, Y.
KIMANI, G. *See* WEBSTER, M.
KONG, Y., KANG, S.-Y., KIM, S. H., CHUNG, Y.-B. and CHO, S.-Y. A neutral cysteine protease of *Spirometra mansoni* plerocercoid invoking an IgE response, 263
KOOYMAN, F. N. J., VAN KOOTEN, P. J. S., HUNTLEY, J. F., MACKELLAR, A., CORNELISSEN, A. W. C. A. and SCHALLIG, H. D. F. H. Production of a monoclonal antibody specific for ovine immunoglobulin E and its application to monitor serum IgE responses to *Haemonchus contortus* infection, 398
KOSKIVAARA, M. *See* SIDDALL, R.
KRASNOV, B. R., SHENBROT, G. I., MEDVEDEV, S. G., VATSCHENOK, V. S. and KHOKHLOVA, I. S. Host–habitat relations as an important determinant of spatial distribution of flea assemblages (Siphonaptera) on rodents in the Negev Desert, 159
KUSEL, J. R. *See* MODHA, J.
KUSTER, H. *See* MATHIS, A.

LAGEWEG, W. *See* NÚÑEZ, P. E.
LARDEUX, F. and CHEFFORT, J. Temperature thresholds and statistical modelling of larval *Wuchereria bancrofti* (Filariidea: Onchocercidae) developmental rates, 123
LAURENT, J.-P., BARNABE, C., QUESNEY, V., NOEL, S. and TIBAYRENC, M. Impact of clonal evolution on the biological diversity of *Trypanosoma cruzi*, 213
LEE, D. L. *See* WINTER, M. D.
LIBRANDA-RAMIREZ, B. D. L. *See* WEBSTER, M.
LIEGEARD, P. *See* WINCKER, P.
LI, K. W. *See* NÚÑEZ, P. E.
LILLEY, C. J. *See* URWIN, P. E.
LONGHURST, H. J. and HOLDER, A. A. The histones of *Plasmodium falciparum*: identification, purification and a possible role in the pathology of malaria, 413
LYSNE, D. A., HEMMINGSEN, W. and SKORPING, A. Regulation of infrapopulations of *Cryptocotyle lingua* on cod, 145

MACKELLAR, A. *See* KOOYMAN, F. N. J.
MACEDO, A. M. *See* GOMES, M. A.
MAIR, G. R., MAULE, A. G., HALTON, D. W., ORR, D., JOHNSTON, R. N., JOHNSTON, C. F. and SHAW, C. Comparative analysis of the distribution of bradykinin-, GYIRF amide- and neuropeptide F-like immunoreactivities in the monogenean, *Diclidophora merlangi*, 467
MAJOR, M., WEBB, T. J. and HURD, H. Haemolymph from female beetles infected with *Hymenolepis diminuta* metacestodes retards the development of ovarian follicles in recipient *Tenebrio molitor* (Coleoptera), 175
MARKS, N. J., MAULE, A. G., HALTON, D. W., GEARY, T. G., SHAW, C. and THOMPSON, D. P. Pharmacological effects of nematode FMRFamide-related peptides (FaRPs) on muscle contractility of the trematode *Fasciola hepatica*, 531
MARTIN, S. J. *See* BOWEN-WALKER, P. L.
MARQUES, P. *See* WINCKER, P.
MASCARO, C. *See* ENTRALA, E.
MATHIS, A., MICHEL, M., KUSTER, H., MÜLLER, C., WEBER, R. and DEPLAZES, P. Two *Encephalitozoon cuniculi* of human origin are infectious to rabbits, 29
MATSUURA, M. *See* GREWAL, P. S.
MAULE, A. G. *See* MAIR, G. R.
MAULE, A. G. *See* MARKS, N. J.
MAURAS, G. *See* RABJEAU, A.

McDONNELL, P. A. *See* UPCROFT, J. A.
McGEOWN, J. G. *See* GRAHAM, M. K.
McMANUS, D. P. *See* GOBERT, G. N.
McMANUS, D. P. *See* SCOTT, J. C.
McPHERSON, M. J. *See* URWIN, P. E.
MEDVEDEV, S. G. *See* KRASNOV, B. R.
MEINHARDT, S. *See* ROBINSON, M.
MELO, M. N. *See* GOMES, M. A.
MICHEL, M. *See* MATHIS, A.
MIRELMAN, D. *See* MOODY, S.
MITCHELL, G. H. *See* BEJON, P. A.
MODHA, J., ROBERTS, M. C., KENNEDY, M. W. and KUSEL, J. R. Induction of surface fluidity in *Trichinella spiralis* larvae during penetration of the host intestine: simulation by cyclic AMP *in vitro*, 71
MOLENAAR, M. J. *See* NÚÑEZ, P. E.
MOMMERS, E. *See* HERMSEN, C.
MONTES, J. F., DEL RIO, J. A., DURFORT, M. and GARCIA-VALERO, J. The protozoan parasite *Perkinsus atlanticus* elicits a unique defensive response in the clam *Tapes semidecussatus*, 339
MOODY, S., BECKER, S., NUCHAMOWITZ, Y. and MIRELMAN, D. Virulent and avirulent *Entamoeba hystolytica* and *E. dispar* differ in their cell surface phosphorylated glycolipids, 95
MORALES, G., CARRILLO, G., REQUENA, J. M., GUZMAN, F., GOMEZ, L. C., PATARROYO, M. E. and ALONSO, C. Mapping of the antigenic determinants of the *Leishmania infantum* gp63 protein recognized by antibodies elicited during canine visceral leishmaniasis, 507
MORÁN, E. *See* AMBROSIO, J.
MOREL, C. M. *See* WINCKER, P.
MÜLLER, C. *See* MATHIS, A.
MULLER, O. *See* DURAISINGH, M. T.

NANSEN, P. *See* CHRISTENSEN, C. M.
NANSEN, P. *See* PETKEVIČIUS, S.
NISHIDA, M. *See* TEGOSHI, T.
NOEL, S. *See* LAURENT, J.-P.
NOIREAU, F. *See* WINCKER, P.
NOR, Z. M., HOUSTON, K. M., DEVANEY, E. and HARNETT, W. Variation in the nature of attachment of phosphorylcholine to excretory–secretory products of adult *Brugia pahangi*, 257
NUCHAMOWITZ, Y. *See* MOODY, S.
NÚÑEZ, P. E., MOLENAAR, M. J., LAGEWEG, W., LI, K. W. and DE JONG-BRINK, M. Excretory–secretory products of *Trichobilharzia ocellata* and their modulating effects on the internal defence system of *Lymnaea stagnalis*, 135

OKADA, M. *See* TEGOSHI, T.
OKAMOTO, M. *See* ITO, A.
OLDS, G. R. *See* WEBSTER, M.
OLVEDA, R. M. *See* WEBSTER, M.
OOSTBURG, B. F. J. *See* DE VLAS, S. J.
OPPENHEIM, B. A. *See* PENTREATH, V. W.
ORR, D. *See* MAIR, G. R.
OUMA, J. H. *See* WEBSTER, M.

PATARROYO, M. E. *See* MORALES, G.
PATEL, M. N. and WRIGHT, D. J. Glycogen: its importance in the infectivity of aged juveniles of *Steinernema carpocapsae*, 591
PATEL, M. N., STOLINSKI, M. and WRIGHT, D. J. Neutral lipids and the assessment of infectivity in entomopathogenic nematodes: observations on four *Steinernema* species, 489
PAWLOWSKI, Z. S. *See* SCOTT, J. C.
PENTREATH, V. W., ALAFIATAYO, R. A., BARCLAY, G. R., CRAWLEY, B., DOUA, F. and OPPENHEIM, B. A. Endotoxin antibodies in African sleeping sickness, 361
PERLMANN, P. *See* IQBAL, J.
PERRY, R. N. *See* JONES, J. T.
PETKEVIČIUS, S., BACH KNUDSEN, K. E., NANSEN, P., ROEPSTORFF, A., SKJØTH, F. and JENSEN, K. The impact of diets varying in carbohydrates resistant to endogenous enzymes and lignin on populations of *Ascaris suum* and *Oesophagostomum dentatum* in pigs, 555
POLDERMAN, A. M. *See* DE VLAS S. J.
POULIN, R. Egg production in adult trematodes: adaptation or constraint?, 195
PRICE, H. P., DOENHOFF, M. J. and SAYERS, J. R. Cloning, heterologous expression and antigenicity of a schistosome cercarial protease, 447
PROUDMAN, C. J., HOLMES, M. A., SHEORAN, A. S., EDWARDS, S. E. R. and TREES, A. J. Immunoepidemiology of the equine tapeworm *Anoplocephala perfoliata*: age-intensity profile and age-dependency of antibody subtype responses, 89
PURI, C. *See* SPANO, F.
PUTIGANI, L. *See* SPANO, F.

QUESNEY, V. *See* LAURENT, J.-P.

RABELLO, A. L. T. *See* DE VLAS, S. J.
RABJEAU, A., FOUSSARD, F., MAURAS, G. and DUBREMETZ, J. F. Enrichment and biochemical characterization of *Toxoplasma gondii* tachyzoite plasmalemma, 421
RANUCCI, L. *See* SPANO, F.
REQUENA, J. M. *See* MORALES, G.
RHODES, C. J., FOLKARD, S. G., BIANCO, A. E. and ANDERSON, R. M. The kinetics of immunological responses to microfilariae in a murine host: experimental and mathematical studies, 237
ROBERTS, H. C., STERNBERG, J. M. and CHAPPELL, L. H. Characterization of calcineurin from *Hymenolepis microstoma* and *H. diminuta* and its interaction with cyclosporin A, 279
ROBERTS, M. C. *See* MODHA, J.
ROBERTSON, L. *See* JONES, J. T.
ROBERTSON, W. M. *See* JONES, J. T.
ROBINSON, M., GUSTAD, T. R. and MEINHARDT, S. Non-specific binding of mouse IgG1 to *Heligmosomoides polygyrus*: parasite homogenate can affinity purify mouse monoclonal antibodies, 79
ROEPSTORFF, A. *See* PETKEVIČIUS, S.

SALGADO-MALDONADO, G. and KENNEDY, C. R. Richness and similarity of helminth communities in the tropical cichlid fish *Cichlasoma urophthalmus* from the Yucatan Peninsula, Mexico, 581
SATOH, M., TSUKIDATE, S., EISHI, Y., TAMURA, N., YAMAMOTO, K. and FUJITA, K. Suppression of mitogen-induced IL-2Rα expression in PBL by serum from microfilaraemic rats chronically infected with *Brugia pahangi*, 65
SAUERWEIN, R. *See* HERMSEN, C.
SAYERS, J. R. *See* PRICE, H. P.
SCHALLIG, H. D. F. H. and VAN LEEUWEN, M. A. W. Protective immunity to the blood-feeding nematode *Haemonchus contortus* induced by vaccination with parasite low molecular weight antigens, 293
SCHALLIG, H. D. F. H. *See* KOOYMAN, F. N. J.
SCOTT, J. C., STEFANIAK, J., PAWLOWSKI, Z. S. and McMANUS, D. P. Molecular genetic analysis of human cystic hydatid cases from Poland: identification of a new genotypic group (G9) of *Echinococcus granulosus*, 37
SHAW, C. *See* MAIR, G. R.
SHAW, C. *See* MARKS, N. J.
SHENBROT, G. I. *See* KRASNOV, B. R.
SHEORAN, A. S. *See* PROUDMAN, C. J.
SIDDALL, R., KOSKIVAARA, M. and VALTONEN, E. T. *Dactylogyrus* (Monogenea) infections on the gills of roach (*Rutilus rutilus* L.) experimentally exposed to pulp and paper mill effluent, 439
SILVA, E. F. *See* GOMES, M. A.
SIRIPOON, N. *See* IQBAL, J.
SKJØTH, F. *See* PETKEVIČIUS, S.
SKORPING, A. *See* LYSNE, D. A.

SNOUNOU, G. *See* DURAISINGH, M. T.
SNOUNOU, V. G. *See* IQBAL, J.
SPANO, F., PURI, C., RANUCCI, L., PUTIGANI, L. and CRISANTI, A. Cloning of the entire COWP gene of *Cryptosporidium parvum* and ultrastructural localization of the protein during sexual parasite development, 427
STAHL, W. and KANEDA, Y. Pathogenesis of murine toxoplasmic hydrocephalus, 219
STEFANIAK, J. *See* SCOTT, J. C.
STENZEL, D. J. *See* GOBERT, G. N.
STERNBERG, J. M. *See* ROBERTS, H. C.
STOLINSKI, M. *See* PATEL, M. N.

TAMURA, N. *See* SATOH, M.
TARGETT, G. A. T. *See* DURAISINGH, M. T.
TEGOSHI, T., OKADA, M., NISHIDA, M. and ARIZONO, N. Early increase of gut intraepithelial mast cell precursors following *Strongyloides venezuelensis* infection in mice, 181
TELLERIA, J. *See* WINCKER, P.
THOMPSON, D. P *See* MARKS, N. J.
TIBAYRENC, M. *See* LAURENT, J.-P.
TIELENS, A. G. M. *See* VAN HELLEMOND, J. J.
TIMOTHY, L. M. and BEHNKE, J. M. *Necator americanus* in inbred mice: evidence in support of genetically determined differences in the cellular immune response to a primary infection, 53
TINSLEY, R. C. *See* GANNICOTT, A. M.
TOSI, L. R. O., CASAGRANDE, L., BEVERLEY, S. M. and CRUZ, A. K. Physical mapping across the dihydrofolate reductase–thymidylate synthase chromosome of *Leishmania major*, 521
TREES, A. J. *See* PROUDMAN, C. J.
TSUKIDATE, S. *See* SATOH, M.
TSUKIDATE, S. *See* YAN, Y.

UPCROFT, J. A., McDONNELL, P. A., GALLAGHER, A. N., CHEN, N. and UPCROFT, P. Lethal *Giardia* from a wild-caught sulphur-crested cockatoo (*Cacatua galerita*) established *in vitro* chronically infects mice, 407
UPCROFT, P. *See* UPCROFT, J. A.
URWIN, P. E., LILLEY, C. J., McPHERSON, M. J. and ATKINSON, H. J. Characterization of two cDNAs encoding cysteine proteinase from the soybean cyst nematode *Heterodera glycines*, 605

VAGO, A. R. *See* GOMES, M. A.
VALTONEN, E. T. *See* AALTONEN, T. M.
VALTONEN, E. T. *See* SIDDALL, R.
VAN DER MEER, P. *See* VAN HELLEMOND, J. J.
VAN DE WIEL, T. *See* HERMSEN, C.
VAN HELLEMOND, J. J., VAN DER MEER, P. and TIELENS, A. G. M. *Leishmania infantum promastigotes* have a poor capacity for anaerobic functioning and depend mainly on respiration for their energy generation, 351
VAN KOOTEN, P. J. S. *See* KOOYMAN, F. N. J.
VAN LEEUWEN, M. A. W. *See* SCHALLIG, H. D. F. H.
VAN LIESHOUT, L. *See* DE VLAS, S. J.
VAN OORTMARSSEN, G. J. *See* DE VLAS, S. J.
VATSCHENOK, V. S. *See* KRASNOV, B. R.
VELEBNY, S. *See* HRČKOVA, G.

WARHURST, D. C. *See* DURAISINGH, M. T.
WEBB, S. E. *See* BEJON, P. A.
WEBB, T. J. *See* MAJOR, M.
WEBER, R. *See* MATHIS, A.
WEBSTER, M., LIBRANDA-RAMIREZ, B. D. L., ALIGUI, G. D., OLVEDA, R. M., OUMA, J. H., KARIUKI, H. C., KIMANI, G., OLDS, G. R., FULFORD, A. J. C., BUTTERWORTH, A. E. and DUNNE, D. W. The influence of sex and age on antibody isotype responses to *Schistosoma mansoni* and *Schistosoma japonicum* in human populations in Kenya and the Philippines, 383
WILSON, R. A. *See* CUTTS, L.
WINCKER, P., TELLERIA, J., BOSSENO, M. F., CARDOSO, M. A., MARQUES, P., YAKSIC, N., AZNAR, C., LIEGEARD, P., HONTEBEYRIE, M., NOIREAU, F., MOREL, C. M. and BRENIERE, S. F. PCR-based diagnosis for Chagas' disease in Bolivian children living in an active transmission area: comparison with conventional serological and parasitological diagnosis, 367
WINTER, M. D., WRIGHT, C. and LEE, D. L. The mast cell and eosinophil response of young lambs to a primary infection with *Nematodirus battus*, 189
WOO, P. T. K. *See* ZUO, X.
WRIGHT, A. *See* BEJON, P. A.
WRIGHT, C. *See* WINTER, M. D.
WRIGHT, D. J. *See* PATEL, M. N.

YAKSIC, N. *See* WINCKER, P.
YAMAMOTO, K. *See* SATOH, M.
YAN, Y., INUO, G., AKAO, N., TSUKIDATE, S. and FUJITA, K. Down-regulation of murine susceptibility to cerebral malaria by inoculation with third-stage larvae of the filarial nematode *Brugia pahangi*, 333

ZUO, X. and WOO, P. T. K. Natural anti-proteases in rainbow trout, *Onchorhynchus mykiss* and brook charr, *Salvelinus fontinalis* and the *in vitro* neutralization of fish α2-macroglobulin by metalloprotease from the pathogenic haemoflagellate, *Cryptobia salmositica*, 375

Index of Subjects

Adaptive responses, to host-related or environmental pressures, effects of on egg production in adult trematodes, 195
African sleeping sickness, endotoxin antibodies in, 361
Age, influence of on antibody isotype responses to *Schistosoma* spp. in humans, 383
Amodiaquine, selection of the *pfmdr*-1 allele by in *Plasmodium falciparum*, 205
Anopheles gambiae s.l., effects of malaria infection on the fecundity and mortality of, 325
Anoplocephala perfoliata, immunoepidemiology of in the horse, 89
Antibody isotype responses, to *Schistosoma mansoni* and *S. japonicum*, influence of sex and age on, 383
Antibody-mediated growth inhibition, sensitivity to in *Plasmodium falciparum*, 317
Antigenic determinants, of *Leishmania infantum* gp63 protein, mapping of, 507
Antigenicity, of a schistosome cercarial protease, 447
Antigens, secretion of by adult male *Schistosoma mansoni*, *in vivo*, 245
Anti-oxidant enzymes, in *Cryptosporidium parvum* oocysts, 13
Anti-proteases, naturally occurring in fish, 375
Apis mellifera, distribution of *Varroa jacobsoni* on, 151
Artemisinin, susceptibility of *Plasmodium falciparum* to, 503
Ascaris suum, effect of diet on populations of in pigs, 555
Asian *Taenia*, vaccination of pigs against, 541
Avian *Giardia*, from wild-caught sulphur-crested cockatoo chronically infects mice, 407

Biological diversity, impact of clonal evolution on in *Trypanosoma cruzi*, 213
Bleached kraft mill effluent, effect of on *Dactylogyrus* infections in *Rutilus rutilus*, 439
Bradykinin-like immunoreactivity, distribution of in *Diclidophora merlangi*, 467
Brugia pahangi, attachment of phosphorylcholine to the excretory–secretory products of, 257
effect of inoculation with on murine susceptibility to cerebral malaria, 333
suppression of IL-2Rα by serum of microfilaraemic rats chronically infected by, 65

Calcineurin, characterization of from *Hymenolepis microstoma* and *H. diminuta*, 279
cDNAs encoding cysteine proteinases, characterization of from *Heterodera glycines*, 605
$CD4^+$ or $CD8^+$ T-cells, depletion of prevents *Plasmodium berghei*-induced cerebral malaria, 7
Cellular reaction, against *Perkinsus atlanticus* in *Tapes semidecussatus*, 339
Cercariae, of *Schistosoma mansoni*, cysteine proteinases of, 105
Cerebral malaria, down-regulation of murine susceptibility to by inoculation with *Brugia pahangi*, 333
Chagasic children, diagnosis of by PCR, 367
Chloroquine, selection of the *pfmdr*-1 allele by in *Plasmodium falciparum*, 205
Chromosome map, for dihydrofolate reductase–thymidylate synthase of *Leishmania major*, 521
Cichlasoma urophthalmus, richness and similarity of helminth communities in, 581
Clonal evolution, impact of on the biological diversity of *Trypanosoma cruzi*, 213
Cloning and heterologous expression, of a schistosome cercarial protease, 447
COWP gene, of *Cryptosporidium parvum*, cloning of, 427
Crithidia luciliae, stimulated hypoxanthine transport in, 19
Cryptobia salmositica, metalloprotease from neutralizes α2-macroglobulin of fish *in vitro*, 375
Cryptocotyle lingua, regulation of infrapopulations of on cod, 145
Cryptosporidium parvum. cloning of the entire COWP gene of, 427
oocysts, anti-oxidant enzymes in, 13
ultrastructural localization of COWP protein of during sexual parasite development, 427
Cyclic AMP, effects of on surface fluidity in *Trichinella spiralis* larvae, 71
Cyclosporin A, interaction of calcineurin from *Hymenolepis microstoma* and *H. diminuta* with, 279
Cysteine protease, of *Spirometra mansoni* invokes an IgE response, 263
Cysteine proteinase, characterization of two cDNAs encoding, from *Heterodera glycines*, 605
of *Schistosoma mansoni* cercariae, 105
Cystic hydatid cases, molecular genetic analysis of from Poland, 37
Cysticerci, of human *Taenia* sp., development of in *scid* mice, 85

Dactylogyrus infections, on gills of *Rutilus rutilus* exposed to bleached kraft mill effluent, 439
Defensive response, of *Tapes semidecussatus* to *Perkinsus atlanticus*, 339
Developmental rates, of larval *Wuchereria bancrofti*, 123
Diagnosis, of Chagas' disease by PCR, 367
Diclidophora merlangi, distribution of bradykinin-, GYIRFamide-, and neuropeptide F-like immunoreactivities in, 467
Diet, effects of on populations of *Ascaris suum* and *Oesophagostomum dentatum* in pigs, 555
Dihydrofolate reductase–thymidylate synthase chromosome, of *Leishmania major*, physical mapping of, 521
Discocotyle sagittata, from rainbow trout, egg hatching in, 569
Distribution, of *Varroa jacobsoni* on *Apis mellifera*, 151

Echinococcus granulosus, a new genotypic group of from Polish cystic hydatid cases, 37
Ecological aspects, of flea assemblages on rodents in the Negev Desert, 159
Egg counts, in *Schistosoma mansoni*, estimation of prevalence from, 113
Egg hatching, in *Discocotyle sagittata* from rainbow trout, 569
Egg production, in adult trematodes, 195
Elastase-like protease, cloning, expression and antigenicity of from schistosome cercariae, 447
ELISA, for monitoring serum IgE responses to *Haemonchus contortus* infections in sheep, 395
Encephalitozoon cuniculi, comparison of isolates of animal origin with isolates from HIV-infected patients, 29
two strains of from human are infectious to rabbits, 29
Endotoxin antibodies, in African sleeping sickness, 361
Energy metabolism, of *Leishmania infantum*, 351
Entamoeba histolytica, use of LSSP-PCR in the characterization of strains of, 517
Entamoeba spp., differences in cell surfaces phosphorylated glycolipids in, 95
Eosinophil response, of young lambs to *Nematodirus battus* infection, 189
Equine tapeworm, immunoepidemiology of, 89
Excretory–secretory antigens, release of *in vivo* by adult male *Schistosoma mansoni*, 245
of *Brugia pahangi*, attachment of phosophorylcholine to, 257
of *Trichobilharzia ocellata*, 135

Fasciola hepatica, effects of FaRPs on the motility of isolated muscle strips from, 455
pharmacological effects of FMRFamide-related peptides on muscle contractility in, 531
Fecundity, of *Anopheles gambiae s.l.*, effects of *Plasmodium falciparum* infection on, 325
Flea assemblages, on rodents in the Negev Desert, 159
FMRF amide-related peptides, effects of on *Fasciola hepatica* isolated muscle strips, 455
pharmacological effects of on *Fasciola hepatica* muscle contractility, 531

Gammarus duebeni, infection patterns of a microsporidian sex ratio distorter in, 231
Gene expression, changes in during stimulation and hatching of *Globodera rostochiensis*, 309
Genetic analysis, of *Echinococcus granulosus* from Poland, 37
Genetically determined differences, in the cellular immune response to *Necator americanus* in mice, 53
Genome sizes, of *Steinernema carpocapsae* and *Heterorhabditis bacteriophora*, 497
Giardia, from a wild-caught sulphur-crested cockatoo infects mice, 407
Globodera rostochiensis, stimulation of induces changes in gene expression, 309
Glycogen, the importance of in the infectivity of aged juveniles of *Steinernema carpocapsae*, 591
Growth inhibition, antibody-mediated, sensitivity to in *Plasmodium falciparum*, 317
GYIRFamide-like immunoreactivity, distribution of in *Diclidophora merlangi*, 467

Haemonchus contortus, low molecular weight antigens from induce protective immunity, 293
monitoring serum IgE responses to in sheep by ELISA, 395
Hatching, of *Globodera rostochiensis*, changes in gene expression during, 309
Heligmosomoides polygyrus, non-specific binding of mouse IgG1 to, 79
Helminth communities, richness and similarity of in *Cichlasoma urophthalmus* from the Yucatan Peninsula, 581
Heterodera glycines, characterization of two cDNAs encoding cysteine proteinases from, 605
Heterorhabditis bacteriophora, genome size of, 497
Histones, from *Plasmodium falciparum*, possible role of in malaria pathology, 413
HIV-infected patients, 6 isolates of *Encephalitozoon cuniculi* from, 29
Host–habitat relations, and spatial distribution of flea assemblages on rodents in the Negev Desert, 159
Humoral response, of *Rutilus rutilus* to *Rhipidocotyle fennica* infection, 285
Hymenolepis diminuta, metacestodes of retard egg development in *Tenebrio molitor*, 175
Hymenolepis spp., interaction of cyclosporin A with calcineurin from, 279
Hypoxanthine transport, stimulation of in *Crithidia luciliae*, 19

IgE, ovine, production of a specific monoclonal antibody against, 395
IgE response, induction of in *Spirometra mansoni* plerocercoid by a cysteine protease, 263
IgG1 – induction, by *Heligmosomoides polygyrus* adult worm homogenate, 79
IL-2Rα, suppression of in microfilaraemic rats, 65
Immune response, genetically determined differences in to *Necator americanus* infection in inbred mice, 53
Immunity, to *Haemonchus contortus* induced by low molecular weight antigens, 293
Immunoepidemiology, of the equine tapeworm, *Anoplocephala perfoliata*, 89
Immunolocalization of paramyosin, in *Schistosoma japonicum* during development, 45
Immunomodulation, by *Trichobilharzia ocellata* excretory–secretory products, 135
Infection patterns, of a microsporidian in *Gammarus duebeni* populations, 231
Infectiousness, long-term dynamics of with *Steinernema feltiae*, 301
Infectivity, of aged *Steinernema carpocapsae* juveniles, the importance of glycogen for, 591
of *Steinernema* spp., effects of neutral lipids on, 489
Infrapopulations, of *Cryptocotyle lingua*, regulation of on cod, 145
Insect egg development, retardation of by haemolymph from *Hymenolepis diminuta* metacestode-infected beetles, 175
Insect nematodes, effects of on secondary invasion of steinernematid entomopathogenic nematodes, 597
Invasion, of steinernematid entomopathogenic nematodes, effects of infected insects on, 597

Kinetics, of immunological responses to microfilariae in a murine host, 237

Leishmania infantum, energy metabolism of, 351
Leishmania infantum gp63protein, mapping the antigenic determinants of, 507
Leishmania major, physical mapping of the dihydrofolate reductase–thymidylate synthase chromosome of, 521
Life-history traits, and egg production in adult trematodes, 195
Lipophosphoglycan-like molecules, from *Entamoeba* spp. differ depending on virulence, 95
Low-stringency single specific primer PCR, use of for characterization of *Entamoeba histolytica* strains, 517
LSSP–PCR, use of in characterization of *Entamoeba histolytica* strains, 517
Lymnaea stagnalis, effects of *Trichobilharzia ocellata* E–S products on the internal defence system of, 135

Macrophage activation, effects of praziquantel on in *Mesocestoides corti*-infected mice, 475
Mapping, of the antigenic determinants of *Leishmania infantum* gp63 protein, 507
Mast cell precursors, increase of in gut following *Strongyloides venezuelensis* infection in mice, 181
Mast cell response, of young lambs to *Nematodirus battus* infection, 189
Mathematical study, of the kinetics of immunological responses to microfilariae in a murine host, 237
Merozoite invasion, role of microtubules in, in *Plasmodium falciparum*, 1
Mesocestoides corti, effect of praziquantel on macrophage activation in mice infected with, 475
Metalloprotease, of *Cryptobia salmositica*, neutralizes fish α2-macroglobulin, 375
Mexican cichlid, helminth communities in, 581
Microsporidian sex ratio distorter, prevalence, transmission and intensity of in *Gammarus duebeni*, 231
Microtubules, role of in *Plasmodium falciparum* merozoite invasion, 1
Murine cerebral malaria, prevention of by depletion of $CD4^+$ or $CD8^+$ T-cells, 7
Murine toxoplasmic hydrocephalus, pathogenesis of, 219
Muscle contractility, effects of FMRFamide-related peptides on in *Fasciola hepatica*, 531
Muscle strips, from *Fasciola hepatica*, effects of FaRPs on, 455
Myosin-like protein, characterization of from cysticerci and adults of *Taenia solium*, 545

Necator americanus, genetically determined differences in the cellular immune response to in inbred mice, 53

Nematode infection, mast cell response to in mice, 181
Nematodirus battus, effect of infection with on mast cell response in young lambs, 189
Neuropeptide F-like immunoreactivity, distribution of in *Diclidophora merlangi*, 467
Neutral lipids, effects of on *Steinernema* spp. infectivity, 489
Nutrition, effects of on populations of *Ascaris suum* and *Oesophagostomum dentatum* in pigs, 555

Oesophagostomum dentatum, effect of diet on populations of in pigs, 555
Oesophagostomum spp. infections in pigs, effects of on worm burdens, 273
Onchocerca lienalis, mouse model of, 237
Oncorhynchus mykiss, egg hatching in *Discocotyle sagittata* from, 569
natural anti-proteases in, 375
Ovine IgE, production of a monoclonal antibody specific for, 395

Paramyosin, immunolocalization of during development in *Schistosoma japonicum*, 45
Pathogenesis, of murine toxoplasmic hydrocephalus, 219
PCR-based diagnosis, of Chagas' disease in Bolivian children, 367
Perkinsus atlanticus, induction of a unique defensive response to in *Tapes semidecussatus*, 339
pfmdr-1 allele, selection for by chloroquine and amodiaquine, 205
Pharmacological effects, of FMRFamide-related peptides on *Fasciola hepatica* muscle contractility, 531
Phosphorylated glycolipids, differences in between virulent and avirulent *E. histolytica* and *E. dispar*, 95
Phosphorylcholine, attachment of to excretory–secretory products of *Brugia pahangi*, 257
Plasmalemma, isolation of from *Toxoplasma gondii* tachyzoites, 421
Plasmodium berghei, cerebral malaria induced by is prevented by depletion of $CD4^+$ or $CD8^+$ T-cells, 7
Plasmodium falciparum, antibody-mediated changes in sensitivity for growth in, 317
effects of on the fecundity and mortality of *Anopheles gambiae s.l.*, 325
role of histones from in the pathology of malaria, 413
role of microtubules in merozoite invasion of, 1
selection for the tyrosine-86 allele of the *pfmdr*-1 gene in, 205
susceptibility of Tanzania wild isolates of to artemisinin, chloroquine, sulfadoxine/pyrimethamine and mefloquine, 503
Population dynamics, of *Oesophagostomum* infections in pigs, 273
Praziquantel, effects of on peritoneal macrophage activation in mice infected with *Mesocestoides corti*, 475
Prevalence, of *Schistosoma mansoni*, estimation of from simple egg counts, 113
Prevention, of murine cerebral malaria, by anti-CD4 or anti-CD8, 7
Purification of mouse IgG1, using *Heligmosomoides polygyrus*, 79
Purine stress, effect of in hypoxanthine transport in *Crithidia luciliae*, 19

Rabbits, infection of by two strains of *Encephalitozoon cuniculi* of human origin, 29
Respiratory chain activity, dependence of *Leishmania infantum* promastigotes on for energy generation, 351
Rhipidocotyle fennica, humoral response of *Rutilus rutilus* to, 285
Rutilus rutilus, *Dactylogyrus* infections on the gills of after exposure to bleached kraft mill effluent, 439
humoral response of to *Rhipidocotyle fennica* infection, 285

Salvelinus fontinalis, natural anti-proteases in, 375
Schistosoma japonicum, immunolocalization of paramyosin in during development, 45
Schistosoma mansoni, cysteine proteinases in the cercariae, 105
estimation of prevalence of from simple egg counts, 113
expression of protease exons by cercariae of, 447
secretion of protein antigens by adult males of, *in vivo*, 245
Schistosoma spp., the influence of sex and age on the antibody isotype responses to in humans, 383
Scid mice, development of human *Taenia* eggs into cysticerci in, 85
Serological diagnosis, for Chagas' disease, comparison of with parasitological diagnosis, 367
Serum factors, suppression of IL-2Rα expression by in microfilaraemic rats chronically infected with *Brugia pahangi*, 65
Sex, influence of on antibody isotype responses to *Schistosoma* spp. in humans, 383
Spatial distribution, of flea assemblages on rodents in the Negev Desert, 159
Spirometra mansoni, a neutral cysteine protease of invokes an IgE response, 263
Statistical modelling, of larval *Wuchereria bancrofti* developmental rates, 123
Steinernema carpocapsae, genome size of, 497
the importance of glycogen in the infectivity of aged juveniles of, 591
Steinernema feltiae, long-term dynamics of infectiousness in, 301
Steinernema scapterisci, the symbiotic bacterium of, 483
Steinernema spp., effects of neutral lipids on the infectivity of, 489
Stimulation of *Globodera rostochiensis*, induces changes in gene expression, 309
Strongyloides venezuelensis, induction of increased gut mast cell precursors by in infected mice, 181
Sulphur-crested cockatoo, lethal *Giardia* from chronically infects mice, 407
Superoxide dismutase, in *Crypotosporidium parvum*, 13
Surface fluidity, in *Trichinella spiralis* larvae during penetration of the host intestine, 71
Symbiotic bacteria, of *Steinernema scapterisci*, 483

Taenia solium, isolation of a mysosin-like protein from cysticerci and adults of, 545
Taenia sp. eggs from human, develop into cysticerci in *scid* mice, 85
Tapes semidecussatus, defensive response induced in to *Perkinsus atlanticus*, 339
Temperature thresholds, of larval *Wuchereria bancrofti* developmental rates, 123
Tenebrio molitor, retardation of egg development in by *Hymenolepis diminuta* metacestode infection, 175
Toxoplasma gondii, isolation of the plasmalemma from tachyzoites of, 421
Toxoplasmic hydrocephalus, pathogenesis of in mice, 219
Trichinella spiralis, induction of surface fluidity in the larvae of during penetration of the host intestine, 71
Trypanosoma cruzi, impact of clonal evolution on the biological diversity of, 213

Ultrastructural localization, of COWP in *Cryptosporidium parvum*, 427

Vaccination, against Asian *Taenia* in pigs, 541
with low molecular weight antigens induces immunity to *Haemonchus contortus*, 293
Varroa jacobsoni, distribution of on overwintering honey bees, 151

Virulence, of *Entamoeba* spp., and differences in cell surface phosphorylated glycolipids, 95

Worm burdens, in pigs, 273
Wuchereria bancrofti, statistical modelling of larval developmental rates, 123

Xenorhabdus spp., mechanisms of its association with *Steinernema scapterisci*, 483